A Simple Two Period OLG Model

Prof. Lutz Hendricks

Econ821

January 25, 2016

Contents

Introduction	3
Environment	4
Calibrating the Model	10
Fiscal Policy	14
Take-away Points	17

Introduction

We now compute the 2 period OLG model in general equilibrium. We pretend that we want to use the model to study fiscal policy.

Environment

Demographics: There are $N_t = (1+n)^t$ young born at t.

Technology: $F(K,L) = AK^{\alpha}L^{1-\alpha} = K' - (1-\delta)K + C$

Markets:

- Labor: w^G (before tax)
- Capital rental: r^G (before tax)
- Goods: numeraire

Firms

First-order conditions (standard):

- $w_t^G = (1 \alpha) A (K/L)^{\alpha}$
- $r_t^G = \alpha A (K/L)^{\alpha-1}$.

Government

Taxes income when young at rate τ_w and capital income at rate τ_r . Depreciation is not tax deductible.

After tax prices are

- $r = (1 \tau_r) r^G \delta$.
- $w^y = (1 \tau_w) w^G$.

Pays transfers at fixed level, w^o .

Expenditures balance the budget.

 $G_t + N_{t-1} w_t^o = \tau_w N_t w_t^G + \tau_r r^G N_{t-1} s_{t-1}.$

Equilibrium definition

Sequences $\{G_t, K_t, L_t, s_t, c_t^y, c_t^o, r_t, w_t^y, r_t^G, w_t^G\}$ that satisfy Household: Euler equation and 2 budget constraints. Firms: First-order conditions. Government: Budget constraint. Market clearing:

- Goods $F(K_t, L_t) + (1 \delta) K_t = G_t + N_{t-1}c_t^o + N_tc_t^y + K_{t+1}$
- Capital $K_t = N_{t-1} s_{t-1}$,
- Labor $L_t = N_t$.

Identities: Price relationships.

Steady State Conditions

Constants $\{g, k, c^y, c^o, r, w^y\}$ that solve

$$r = (1 - \tau_r) f'(k) - \delta \tag{1}$$

$$w^{y} = (1 - \tau_{w}) [f(k) - f'(k)k]$$
(2)

$$u'(c^y) = \beta \,(1+r) \, u'(c^o) \tag{3}$$

$$c^{o} = w^{o} + (1+r) (w^{y} - c^{y})$$
(4)

$$k\left(1+n\right) = w^{y} - c^{y} \tag{5}$$

$$g + w^{o}/(1+n) = \tau_{w} \left[f(k) - f'(k) \, k \right] + \tau_{r} \, f'(k) \, k \tag{6}$$

Computing the Steady State

Guess k.

Compute r, w^y, c^y, c^o from (1) through (4). Iterate until deviation from (5) is close to zero. Program: bg_comp_olg2d.m.

Calibrating the Model

Calibration means:

• Choose *n* model parameters to exactly match *n* observations.

There are more general notions of calibration.

Fixed Parameters

- n = 0.01 per year.
- $\alpha = 0.36$ (Cooley and Prescott 1995).

Calibrated parameters

 β matches K/Y = 2.9 per year.

Set A to match $w^y=1:~A=\left(\frac{w^y}{[1-\alpha]\,[1-\tau_w]}\right)^{1-\alpha}\,\left(\frac{Y}{K}\right)^{\alpha}$

 δ matches r=0.05 per year.

Calibration Programs

A simple approach:

- Guess parameter values.
- For each: solve the steady state conditions.
- Iterate until deviations from calibration targets are small.
- cal_simple_olg2d

This is inefficient because the values of certain endogenous quantities are known during the calibration computations.

In this model: K/Y implies k implies factor prices.

A better approach: Write separate programs for calibration and for computation of equilibrium.

Calibration Algorithm


Fix k at the value implied by the target level for K/Y: $k = (AK/Y)^{1/(1-\alpha)}$ Compute r, w^y from marginal products; (1) and (2). Guess β . Solve household problem for c^y . Iterate until deviation from capital market clearing (5) is small. When done: recover δ and A values. Program: Cal_comp_olg2d.m.

Deviations from Calibration Targets

cal_comp_olg2d searches for β that makes the two lines cross.

The horizontal line is k(1+n).

The upward sloping line is $(w^y - c^y)$.



Calibration Results

```
Deviation from calibration targets: -0.000000 beta = 0.799. Annual beta = 0.993 cY/wY = 0.796. cY/W = 0.699 k = 0.151 .
```

To verify the code, compute the steady state and check that k has the calibrated value.


Fiscal Policy

How large are the effects of taxes on output, capital, etc.? A large, quantitative literature investigates questions of this type.

An experiment for purposes of illustration:


- Vary capital incomes tax rate between 10% and 90%.
- Government spending balances the budget.
- tax_exper_olg2d.m

Capital Tax Experiment



Surprise: Capital taxes increase savings and output (up to a point). Why?

The Same Experiment With Log Utility



Take-away Points

•

- 1. Even this little model requires quite a bit of code Structure and organization matter
- 2. Don't hard code functional forms / budget constraints For speed: have 2 versions
- 3. Plan ahead for model versions (calNo) and counterfactual experiments (expNo)